



**Vercelli**

# SPYRA

## SPYRA CENTURIA



- Hi-Modulus Carbon
- FUJI TITANIUM RV, KW and KT Torzite guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION SENSITIP - Solid fiber inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVSCE4203

4.12 m 148 cm 3 100/200 g 120 g 443 g 21.4 mm



## SPYRA SUPERNOVA TORZITE



- Hi-Modulus Carbon
- FUJI TITANIUM RV, LRV and KT TORZITE guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSITIP - Solid fiber inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVSSUT4203

4.15 m 148 cm 3 100/200 g 125 g 449 g 20.2 mm





## SPYRA SUPERNOVA SIC



- Hi-Modulus Carbon
- FUJI TITANIUM RV SIC and FUJI KW and KT SIC guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSITIP - Solid fiber inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVSSUS4203

4.15 m 148 cm 3 100/200 g 125 g 452 g 20.2 mm



## SPYRA GRANDEZZA



- X45 Carbon
- FUJI KW and KT SIC guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP Solid carbon spliced hybrid tip
- Woven carbon reinforcements at the connection of sections
- Vercelli rod bag

REF. DVSGR4173

4.17 m 148 cm 3 100/250 g 135 g 485 g 20.3 mm





## SPYRA ADORNICA



- Hi-Modulus Carbon
- FUJI TITANIUM RV, LRV and KT SiC guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- TOURNAMENT HYBRID TIP - Solid carbon inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF.								
DVSA4203	4.17 m	148 cm	3	100/200 g	125 g	459 g	20.3 mm	€
DVSA4503	4.50 m	158 cm	3	100/200 g	125 g	530 g	21.6 mm	€

## SPYRA MULTICA



- High Modulus Carbon
- FUJI KW and KT SiC guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVSMU4653

	4.65 m	166 cm	3	100/170 g	125 g	594 g	21.6 mm	
--	--------	--------	---	-----------	-------	-------	---------	--




## SPYRA PERFORMANTE



- Hi-Modulus Carbon
- FUJI KW and KT SIC guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVSPE4203

4.16 m 148 cm 3 CW 100/200 g 125 g 450 g 20.1 mm



## SPYRA AQUILA




- Hi-Modulus Carbon
- FUJI LC Low Rider and KT SIC guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP-Solid carbon inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVSAQ4203

4.12 m 148 cm 3 CW 100/200 g 125 g 497 g 20.7 mm





## SPYRA QUADRIFOGLIO



- High Modulus Carbon
- FUJI TITANIUM RV SIC and Stainless steel KW+KT Alconite guides
- Special FUJI RV stripper guides
- Ergonomic butt grip

- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION SENSI TIP - Solid fiber spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVSQF4123

4.12 m	148 cm	3	100/200 g	140 g	440 g	20.0 mm
--------	--------	---	-----------	-------	-------	---------

## SPYRA IMPERIA



- Hi-Modulus Carbon
- FUJI KW ALCONITE guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood

- POWER TIP tubular tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVSIA4503

4.50 m	158 cm	3	100/300 g	150 g	497 g	21.1 mm
--------	--------	---	-----------	-------	-------	---------

## ENYGMA HEAT LEGGERING



LEGGERING  
MULTI TIP



- Hi-Modulus Carbon
- FUJI KV and KT Alconite guides
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- LEGGERING MULTI TIP-3 solid carbon inserted tips (Actions: MH / M / L)
- Reinforced connections
- Vercelli rod bag

REF. DVEHL4304

4.30 to 4.50 m 151 cm 3+3 CW 60/160 g 427 g 20.0 mm



## ENYGMA POMPEIA

NEW



COMPETITION  
HYBRID TIP

- High Modulus Carbon.
- FUJI KW ALCONITE guides.
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood.
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVEPM4503

4.50 m 158 cm 3 CW 100/250 g 115 g 635 g 23.6 mm





# ENYGMA



## ENYGMA MOZZAFIATO

NEW



COMPETITION  
HYBRID TIP

- 100% Carbon. FUJI LC Low Rider and KT ALCONITE guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood.
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVEMZ4203

4.20 m 148 cm 3 CW 100/250 g 150 g 545 g 21.3 mm



NEW



## ENYGMA MECCANICA



COMPETITION  
HYBRID TIP

- Hi-Modulus Carbon
- FUJI KW ALCONITE guides
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP-Solid carbon inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVEME4503

4.50 m 158 cm 3 CW 100/200 g 115 g 635 g 23.3 mm

## ENYGMA HELIO

NEW



**SPECIALIST**  
SENSI TIP



- 100% Carbon.
- FUJI LC Low Rider and KT ALCONITE guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip. FUJI DPS screw-lock reel seat with cushioned hood.
- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVEH04203

4.20 m 148 cm 3 CW 100/200 g 110 g 539 g Ø 22.8 mm



## ENYGMA TEKNIKA



**SPECIALIST**  
SENSI TIP

- 100% Carbon
- FUJI LC Low Rider and KT Alconite guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fibre spliced hybrid tip
- Reinforced ferrules
- G-way system for quick assembly
- Vercelli rod bag

REF. DVETK4203

4.20 m 148 cm 3 CW 100/200 g 110 g 521 g Ø 22.4 mm





## ENYGMA VENIALE



**SPECIALIST**  
SENSI TIP



- 100% Carbon
- FUJI KW + KT ALCONITE guides
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood

- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVEVL4203

4.20 m 148 cm 3 CW 150/250 g 155 g 549 g Ø 21.9 mm



## ENYGMA MISTERE



**SPECIALIST**  
SENSI TIP

- 100% Carbon
- FUJI LC Low Rider and KT ALCONITE guides
- Inverted stripper guide
- Ergonomic asymmetrical grip

- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVEML4203

4,12 m 148 cm 3 CW 100/200 g 120 g 546 g Ø 22.7 mm

## ENYGMA BESTA



POWER  
tip section

- Hi-Modulus Carbon
- FUJI KW Alconite guides
- Ergonomic butt grip
- FUJI DPS 22 reel seat with cushioned hood
- Tubular POWER TIP
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVEB4503

	4.50 m		158 cm		3		150/300 g		160 g		660 g		22.4 mm
--	--------	--	--------	--	---	--	-----------	--	-------	--	-------	--	---------



## ENYGMA CARTAGO



POWER  
tip section



- Hi-Modulus Carbon
- FUJI LC Low Rider ALCONITE (420) and FUJI KW ALCONITE (450) guides
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- POWER TIP tubular tip
- Reinforced metal ferrules
- Vercelli rod bag

REF.								€
DVECA4203	4.20 m	148 cm	3	150/300 g	155 g	560	21.8 mm	
DVECA4503	4.50 m	158 cm	3	150/300 g	160 g	627	21.8 mm	

ENYGMA CARTAGO LC 420



ENYGMA CARTAGO KW 450





## ENYGMA CENTINEL



- Hi-Modulus Carbon
- FUJI LC Low Rider Alconite guides (4203T)
- FUJI KW Alconite guides (4503T)
- Ergonomic butt grip
- FUJI DPS screw-lock reel seat with cushioned hood
- Tubular POWER TIP
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF.								
DVEC4203T	4.20m	148 cm	3	100/300 g	155 g	550 g	22.3 mm	
DVEC4503T	4.50m	158 cm	3	100/300 g	160 g	651 g	22.3 mm	



## ENYGMA GLADIO



- 100% Carbon
- FUJI LC Low Rider and KT ALCONITE guides
- Inverted stripper guide. Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVEGL4203

	4.20 m		148 cm		3		100/250 g		140 g		550 g		21.5 mm
--	--------	--	--------	--	---	--	-----------	--	-------	--	-------	--	---------

## ENYGMA ATLAS



- Hi-Modulus Carbon
- FUJI KW ALCONITE (4.50) / FUJI LC (4.20) guides
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- Tubular POWER TIP
- G-way system for quick assembly
- Reinforced connections
- Vercelli rod bag

REF.								
DVEAT4203	4.20 m	148 cm	3	100/300 g	160 g	546 g	21.6 mm	
DVEAT4503	4.50 m	158 cm	3	100/300 g	160 g	582 g	21.6 mm	

ENYGMA ATLAS 420



ENYGMA ATLAS 450



## ENYGMA FURIA



- 100% Carbon
- FUJI KW ALCONITE guides
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood
- Tubular POWER TIP
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF.								
DVEFU4503	4.50 m	158 cm	3	100/300 g	145 g	630 g	23.0 mm	
DVEFU5003	5.00 m	175 cm	3	100/300 g	145 g	690 g	25.6 mm	

ENYGMA FURIA 450



ENYGMA FURIA 500



## ENYGMA HAMMER



- 100% Carbon
- FUJI KW ALCONITE guides
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood
- Tubular POWER TIP
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF.								
DVEHM4203	4.20 m	148 cm	3	100/250 g	145 g	579 g	24.0 mm	
DVEHM4503	4.50 m	158 cm	3	100/250 g	145 g	630 g	24.4 mm	

ENYGMA HAMMER 420



ENYGMA HAMMER 450







## ENYGMA IGNOTA



COMPETITION  
HYBRID TIP



- Hi-Modulus Carbon
- FUJI KW and KT ALCONITE guides
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon inserted hybrid tip
- Reinforced connections
- Vercelli rod bag

REF.								
DVEIG4203	4.12 m	148 cm	3	100/250 g	125 g	510 g	22.5 mm	
DVEIG4503	4.42 m	158 cm	3	100/250 g	125 g	544 g	22.8 mm	

ENYGMA IGNOTA 420



ENYGMA IGNOTA 450



## ENYGMA ITALICA



TOURNAMENT  
HYBRID TIP

- 100% Carbon
- FUJI LC Low Rider ALCONITE guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- TOURNAMENT HYBRID TIP - Solid carbon spliced hybrid tip Reinforced metal ferrules
- Vercelli rod bag

REF.								
DVEIT4203	4,20 m	148 cm	3	100/200 g	120 g	563 g	22.9 mm	
DVEIT4503	4,50 m	158 cm	3	100/200 g	120 g	623 g	23.2 mm	

ENYGMA ITALICA 420



ENYGMA ITALICA 450



NEW





## ENYGMA VEYRON




**COMPETITION**  
HYBRID TIP

- 100% Carbon
- FUJI LC Low Rider and KT ALCONITE guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood

- COMPETITION HYBRID TIP - Solid carbon inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF. DVEV4203

4.12 m 148 cm 3 100/200 g 120 g 571 g Ø 23.0 mm



## ENYGMA PALLADIO

**NEW**



**SPECIALIST**  
SENSI TIP

- 100% Carbon.
- FUJI LC Low Rider "O" and KT ALCONITE guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip. FUJI DPS screw-lock reel seat with cushioned hood.

- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVEP4203

4.20 m 148 cm 3 100/200 g 110 g 540 g Ø 23.5 mm



## ENYGMA INDIGO



**SPECIALIST**  
SENSI TIP

- 100% Carbon
- FUJI LC Low Rider "O" and KT ALCONITE guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fiber inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF.								
DVEIN4203	4.20 m	148 cm	3	100/200 g	110 g	548 g	23.5 mm	
DVEIN4503	4.50 m	158 cm	3	100/200 g	110 g	581 g	23.6 mm	



ENYGMA INDIGO 420



ENYGMA INDIGO 450



## ENYGMA MACULATA



**SPECIALIST**  
SENSI TIP

- 100% Carbon
- FUJI LC Low Rider "O" and KT ALCONITE guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fiber inserted hybrid tip
- Reinforced connections
- Vercelli rod bag

REF.								
DVEMC4203	4.20 m	148 cm	3	100/200 g	110 g	536 g	23.2 mm	
DVEMC4503	4.50 m	158 cm	3	100/200 g	110 g	580 g	23.2 mm	

ENYGMA MACULATA 420



ENYGMA MACULATA 450





## ENYGMA ATIKA



**COMPETITION**  
HYBRID TIP



- 100% Carbon
- FUJI LC Low Rider "O" and KT ALCONITE guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood

- COMPETITION HYBRID TIP - Solid carbon inserted hybrid tip
- Reinforced connections
- Vercelli rod bag

REF. DVEAK4203

4.12 m 148 cm 3 100/200 g 120 g 544 g Ø 23.0 mm



## ENYGMA MEDUSA



**COMPETITION**  
HYBRID TIP



- 100% Carbon
- FUJI LC Low Rider "O" guides
- Inverted stripper guide
- Ergonomic asymmetrical grip

- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip Reinforced metal ferrules
- Vercelli rod bag

REF. DVEMD4203

4.20 m 148 cm 3 100/200 g 120 g 555 g Ø 23.3 mm

## ENYGMA MERCURIO

NEW



COMPETITION  
HYBRID TIP

- 100% Carbon.
- FUJI LC Low Rider "O" guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood.
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVEMR4203

4.20 m 148 cm 3 100/200 g 120 g 525 g 23.8 mm



## ENYGMA QUARZO

NEW



COMPETITION  
HYBRID TIP

- 100% Carbon.
- FUJI LC Low Rider "O" guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood.
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF.								
DVEQ4203	4.20 m	148 cm	3	100/200 g	120 g	526 g	23.5 mm	
DVEQ4503	4.50 m	158 cm	3	100/200 g	120 g	576 g	23.9 mm	

ENYGMA QUARZO 420



ENYGMA QUARZO 450







## ENYGMA SPECIALE



COMPETITION  
HYBRID TIP



- 100% Carbon
- FUJI LC Low Rider "O" guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood

- COMPETITION HYBRID TIP-Solid carbon inserted hybrid tip
- G-way system for quick assembly
- Reinforced connections
- Vercelli rod bag

REF. DVES4203

4.20 m 148 cm 3 100/200 g 120 g 514 g 23.1 mm



## ENYGMA MAGNA



COMPETITION  
HYBRID TIP



- 100% Carbon
- FUJI LC Low Rider "O" guides
- Inverted stripper guide
- Ergonomic asymmetrical grip.
- FUJI DPS screw-lock reel seat with cushioned hood

- COMPETITION HYBRID TIP - Solid carbon inserted hybrid tip
- Reinforced connections
- G-way system for quick assembly
- Vercelli rod bag

REF.								€
DVEMG4203	4.20 m	148 cm	3	100/200 g	120 g	536 g	23.6 mm	
DVEMG4503	4.50 m	158 cm	3	100/200 g	120 g	595 g	23.8 mm	


## ENYGMA VENDETTA



COMPETITION  
HYBRID TIP

- 100% Carbon
- FUJI LC Low Rider "O" guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVEVE4203

	4.20 m		148 cm		3		100/200 g		120 g		538 g		23.6 mm
---	--------	---	--------	---	---	---	-----------	---	-------	---	-------	---	---------











## ENYGMA ARGENTA



POWER  
tip section

- 100% Carbon.
- Guides: 4.20m - FUJI LC Low Rider "O"; 4.50m - FUJI MN "O".
- Inverted stripper guide.
- Ergonomic asymmetrical grip. FUJI DPS screw-lock reel seat with cushioned hood.
- POWER TIP SECTION hollow tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF.									€
DVEAR4203	4.20 m	148 cm	3	100/250 g	140 g	537 g	23.6 mm		
DVEAR4503	4.50 m	158 cm	3	100/250 g	140 g	582 g	23.9 mm		

ENYGMA ARGENTA 420



ENYGMA ARGENTA 450











## ENYGMA CLASICA



POWER  
tip section

- 100% Carbon
- 4.20 m - FUJI LC Low Rider "O"
- 4.50m - FUJI MN "O"
- Inverted stripper guide
- Ergonomic asymmetrical grip
- FUJI DPS screw-lock reel seat with cushioned hood
- Tubular POWER TIP
- Reinforced connections
- Vercelli rod bag

REF.									€
DVECL4203	4.20 m	148 cm	3	100/250 g	140 g	535 g	23.1 mm		
DVECL4503	4.50 m	158 cm	3	100/250 g	140 g	572 g	23.1 mm		

ENYGMA CLASICA 420



ENYGMA CLASICA 450





## OXYGEN LUPARA

**POWER**  
tip section

- 100% Carbon
- SIC LC (4.20m) and KW (4.50m) guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- POWER TIP tubular tip
- Reinforced connections
- Vercelli rod bag

REF.								
DVOLLU4203	4.20 m	148 cm	3	150/300 g	160 g	532 g	21.3 mm	
DVOLLU4503	4.50 m	158 cm	3	150/300 g	160 g	559 g	21.5 mm	

## OXYGEN RAPIDA

**COMPETITION**  
HYBRID TIP

- 100% Carbon
- SIC KW and KT guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip Reinforced metal ferrules
- Vercelli rod bag

REF. DVORP4203

	4,12m		148 cm	3		100/250 g		125 g		542 g		Ø 22.7 mm
--	-------	--	--------	---	--	-----------	--	-------	--	-------	--	-----------

## OXYGEN COBRA 2

**POWER**  
tip section

- 100% Carbon
- SIC KW type guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- POWER TIP tubular tip
- Reinforced metal ferrules
- Vercelli rod bag

REF.								
DVOCO24203	4,20 m	148 cm	3	100/300 g	155 g	620	22.8 mm	
DVOCO24503	4,50 m	158 cm	3	100/300 g	155 g	633	22.8 mm	
DVOCO25003	5,00 m	175 cm	3	100/300 g	155 g	672	25.2 mm	



# OXYGEN

## OXYGEN BRAVISSIMA

NEW

POWER  
tip section

- 100% Carbon.
- SIC KW type guides.
- Ergonomic asymmetrical grip.
- Screw-lock reel seat with cushioned hood.
- POWER TIP tubular tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF.								
DVOB4503	4,50 m	158 cm	3	100/300 g	155 g	611 g	22.7 mm	
DVOB5003	5,00 m	175 cm	3	100/300 g	155 g	660 g	25.2 mm	

## OXYGEN SARDINIA

NEW

SPECIALIST  
SENSI TIP

- 100% Carbon.
- SIC LC and KT guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip.
- Screw-lock reel seat with cushioned hood.
- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli nylon rod bag.

REF. DVOB4203

	4,20 m	148 cm	3	CW	100/200 g	100 g	531 g	23.3 mm
--	--------	--------	---	----	-----------	-------	-------	---------

## OXYGEN SAGGEZZA

SPECIALIST  
SENSI TIP

- 100% Carbon
- SIC LC and KT guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fiber spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF.								
DVOA4203	4,20 m	148 cm	3	100/200 g	100 g	543 g	23.3 mm	
DVOA4503	4,50 m	158 cm	3	100/200 g	100 g	577 g	23.4 mm	

OXYGEN BRAVA

OXYGEN SARDINIA

OXYGEN SAGGEZZA

## OXYGEN SPORTIVA

**SPECIALIST**  
SENSI TIP

- 100% Carbon
- SIC LC and KT guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- SPECIALIST SENSI TIP - Solid fiber inserted hybrid tip
- Reinforced connections
- Vercelli nylon bag

REF.								
DVOS4203	4.20 m	148 cm	3	100/200 g	100 g	570 g	23.4 mm	

## OXYGEN STARLINER

**POWER**  
tip section

- 100% Carbon
- SIC KW type guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- POWER TIP tubular tip
- Reinforced metal ferrules
- Vercelli rod bag.

REF.								
DVOST4203	4.20 m	148 cm	3	100/300 g	150 g	566 g	23.3 mm	
DVOST4503	4.50 m	158 cm	3	100/300 g	150 g	627 g	23.9 mm	
DVOST5003	5.00 m	175 cm	3	100/300 g	150 g	750 g	25.5 mm	

## OXYGEN COMMENDATORE

**COMPETITION**  
HYBRID TIP

- 100% Carbon
- SIC guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP-Solid carbon inserted hybrid tip
- Reinforced connections
- Vercelli rod bag

REF. DVOCT4203

	4.20 m	148 cm	3	CW 100/200 g	115 g	530 g	23.1 mm	



OXYGEN SPORTIVA

OXYGEN STARLINER

OXYGEN COMMENDATORE



## OXYGEN VALOROSA

**TOURNAMENT**  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- TOURNAMENT HYBRID TIP - Solid carbon spliced hybrid tip Reinforced metal ferrules
- Vercelli rod bag

REF.								
DVOA4203	4,20 m	148 cm	3	100/200 g	115 g	570 g	23.3 mm	
DVOA4503	4,50 m	158 cm	3	100/200 g	115 g	598 g	23.9 mm	

## OXYGEN AIRBONE

**TOURNAMENT**  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- Solid hybrid inserted tip (TOURNAMENT HYBRID TIP)
- Reinforced connections
- Vercelli rod bag

REF.								
DVOA4203	4,20 m	148 cm	3	100/200 g	115 g	536 g	23.6 mm	
DVOA4503	4,50 m	158 cm	3	100/200 g	115 g	595 g	23.9 mm	

## OXYGEN ROCCA

**NEW**
**POWER**  
tip section

- 100% Carbon.
- SIC LC type guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip.
- Screw-lock reel seat with cushioned hood.
- POWER TIP tubular tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVOR04203

	4,20 m	148 cm	3	100/200 g	130 g	549 g	23.3 mm	
--	--------	--------	---	-----------	-------	-------	---------	--

OXYGEN VALOROSA

OXYGEN AIRBONE

OXYGEN ROCCA

## OXYGEN INTREPIDA

POWER  
tip section

- 100% Carbon
- SIC KW type guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- POWER TIP tubular tip
- Reinforced metal ferrules
- Vercelli rod bag

REF.								
DVOIN4203	4.20 m	148 cm	3	100/200 g	130 g	561 g	23.3 mm	
DVOIN4503	4.50 m	158 cm	3	100/200 g	130 g	598 g	23.6 mm	

## OXYGEN RADIANT

POWER  
tip section

- 100% Carbon
- SIC KW guides
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- POWER TIP tubular tip
- Reinforced connections
- Vercelli rod bag

REF.								
DVOR4503	4.50 m	158 cm	3	100/200 g	130 g	595 g	23.6 mm	

## OXYGEN CAPITANO

COMPETITION  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- Solid hybrid inserted tip (COMPETITION HYBRID TIP)
- Reinforced connections
- Vercelli rod bag

REF. DVOC4203

	4.20 m		3		100/200 g	115 g	530 g	23.1 mm
--	--------	--	---	--	-----------	-------	-------	---------



OXYGEN INTREPIDA

OXYGEN RADIANT

OXYGEN CAPITANO



## OXYGEN MATERA

NEW

COMPETITION  
HYBRID TIP

- 100% Carbon.
- SIC KW guides.
- Ergonomic asymmetrical grip.
- Screw-lock reel seat with cushioned hood.
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVOMA4203

4.20 m 148 cm 3 100/200 g 105 g 540 g 23.1 mm

## OXYGEN FORTUNA

COMPETITION  
HYBRID TIP

- 100% Carbon
- SIC LC
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVOF04203

4.20 m 148 cm 3 100/200 g 105 g 575 g 23.2 mm

## OXYGEN COMMODORE

COMPETITION  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic butt grip
- Screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP-Solid carbon inserted hybrid tip
- G-way system for quick assembly
- Reinforced connections
- Vercelli rod bag

REF. DVOCM4203

4.20 m 148 cm 3 100/200 g 105 g 514 g 23.1 mm

## OXYGEN MAESTRE

COMPETITION  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVOMS4203

4.20 m 148 cm 3 CW 100/200 g 105 g 540 g Ø 23.2 mm

## OXYGEN SPARTANA

NEW

TOURNAMENT  
HYBRID TIP

- 100% Carbon.
- SIC LC guides.
- Inverted stripper guide.
- Ergonomic asymmetrical grip.
- Screw-lock reel seat with cushioned hood.
- TOURNAMENT HYBRID TIP - Solid carbon spliced hybrid tip.
- Reinforced metal ferrules.
- Vercelli rod bag.

REF. DVOSP4203

4.20 m 148 cm 3 CW 100/200 g 110 g 658 g Ø 24.2 mm

## OXYGEN PANTHERA

COMPETITION  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- COMPETITION HYBRID TIP - Solid carbon spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVOPA4203

4.20 m 148 cm 3 CW 100/200 g 110 g 676 g Ø 24.2 mm

## OXYGEN TIRRENO

TOURNAMENT  
HYBRID TIP

- 100% Carbon
- SIC LC guides
- Inverted stripper guide
- Ergonomic asymmetrical grip
- Screw-lock reel seat with cushioned hood
- TOURNAMENT HYBRID TIP - Solid carbon spliced hybrid tip
- Reinforced metal ferrules
- Vercelli rod bag

REF. DVOTI4203

4.20 m 148 cm 3 CW 100/200 g 110 g 676 g Ø 24.2 mm



OXYGEN MAESTRE

OXYGEN SPARTANA

OXYGEN PANTHERA

OXYGEN TIRRENO

## OXYGEN NERA

- 100% Carbon
- SIC KW type guides
- Ergonomic butt grip
- Screw-lock reel seat with cushioned hood
- Solid carbon tip
- Vercelli rod bag

REF. DVONETS4006

4.00 m 129 cm 6 80/120 g 445 g 21.8 mm

## OXYGEN APUA

- 100% Carbon
- SIC KW type guides
- Ergonomic butt grip
- Screw-lock reel seat with cushioned hood
- Solid carbon tip
- Vercelli rod bag

REF. DVOAPTS4206

4.20 m 160 cm 6 80/150 g 541 g 21.3 mm

## OXYGEN RANNIA

- 100% Carbon
- SIC KW type guides
- Ergonomic butt grip
- Screw-lock reel seat with cushioned hood
- Solid carbon tip
- Vercelli rod bag

REF. DVORATS4206

4.20 m 160 cm 6 80/170 g 547 g 22.0 mm

## OXYGEN MAREA

- 100% Carbon
- SIC KW type guides
- Ergonomic butt grip
- Screw-lock reel seat with cushioned hood
- Solid carbon tip
- Vercelli rod bag

REF. DVOM4206

4.20 m 152 cm 6 100/200 g 555 g 22.2 mm

OXYGEN NERA

OXYGEN APUA

OXYGEN RANNIA

OXYGEN MAREA



## ENYGMA SX

- Surf-casting reel made in ultra-light, corrosion-resistant polymer
- 10 bearings: 1 infinite anti-reverse bearing and 9 ball bearings
- Worm shaft transmission system.
- Progressive micro-adjustable waterproof drag system
- Balanced rotor
- Low profile spool with special long-cast height
- Spools featuring a metal double line-clip to precisely mark the casting area
- Integrated anti-twist line system under the spool
- Over-sized line guide integrated in extra-thick pick-up
- Machined aluminium handle screwed onto the crown
- Rubber grip.



REF. QVESX

90 cm 669 9+1 4.1:1 DRAG kg 10

### SHALLOW



mm/m 0.35/250

### SUPER SHALLOW



mm/m 0.20/250

## ENYGMA SC

- Surf-casting reel made in ultra-light, corrosion-resistant polymer
- 7 bearings: 1 infinite anti-reverse bearing and 6 ball bearings
- Worm shaft transmission system
- Progressive micro-adjustable waterproof drag system
- Balanced rotor
- Low profile spool with special long-cast height
- Spools featuring a metal double line-clip to precisely mark the casting area
- Integrated anti-twist line system under the spool
- Over-sized line guide integrated in extra-thick pick-up
- Machined aluminium handle with rubber grip



REF. QVESC

90 cm. 575 6+1 4.1:1 DRAG kg 10

### SUPER SHALLOW



mm/m 0.20/250

### SUPER SHALLOW



mm/m 0.20/250







## OXYGEN SKHL

- Lightweight surf reel in C40 carbon and ultra-lightweight ALUMALITE competition spool.
- Made in strong, lightweight C40 carbon.
- Super compact body
- 8 stainless steel bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMALITE, with a very low capacity (SHALLOW), specially designed for casting.
- Spare STANDARD capacity ALUMINIUM machined spool.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.

REF. QVOSKHL



105 cm 498 7+1 4.5:1 DRAG kg 15



mm/m 0.20/220



mm/m 0.30/470

## OXYGEN SKA

- Competition surf reel with an ultra-light ALUMALITE spool and an extra standard spool: your first competition spool.
- Made in ultra-light, corrosion-resistant polymer.
- Super compact body
- 8 stainless steel bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMALITE, with a very low capacity (SHALLOW), specially designed for casting.
- Extra GRAPHITE spool of standard capacity.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.

REF. QVOSKA



105 cm 538 7+1 4.5:1 DRAG kg 15



mm/m 0.20/220



mm/m 0.30/470





## OXYGEN ZK

NEW

- Surf-casting reel made in ultra-light, corrosion-resistant polymer.
- Super compact body
- 8 stainless steel bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMINIUM, with a low capacity (SHALLOW), specially designed for casting.
- Extra GRAPHITE spool of STANDARD capacity.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.



REF. QVOZK

	105 cm		550		7+1		4.6:1		DRAG kg	15
--	--------	--	-----	--	-----	--	-------	--	---------	----



mm/m 0.30/320



mm/m 0.30/470  
0.35/345  
0.40/265

## OXYGEN ZH

NEW

- Surf reel with a standard capacity and competition spool: high reliability at an affordable price.
- Made in ultra-light, corrosion-resistant polymer.
- Super compact body
- 8 stainless steel bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMINIUM, with a STANDARD capacity.
- Spare GRAPHITE spool with a low capacity (SHALLOW), specially designed for casting.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.



REF. QVOZH

	105 cm		545		7+1		4.6:1		DRAG kg	15
--	--------	--	-----	--	-----	--	-------	--	---------	----



mm/m 0.30/470  
0.35/345  
0.40/265



mm/m 0.30/320





mm/m 0.30/320



mm/m 0.30/320

## OXYGEN SK

- Surf-casting reel made in ultra-light, corrosion-resistant polymer.
- Super compact body
- 8 stainless bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- Progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Over-sized line guide with extra-thick pick-up.
- Main spool machined in ALUMINIUM, with a low capacity (SHALLOW), specially designed for casting.
- Additional graphite spool with a low line capacity (SHALLOW) specially designed for casting.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.

REF. QVOSK



105 cm



560



7+1



4.5:1



DRAG 15

## OXYGEN SH

- Surf reel with a standard capacity and competition spool: high reliability at an affordable price.
- Made in ultra-light, corrosion-resistant polymer.
- Super compact body.
- Stainless steel bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMINIUM, with a STANDARD capacity.
- Spare GRAPHITE spool with a low capacity (SHALLOW), specially designed for casting.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.

REF. QVOSH



105 cm



565



7+1



4.5:1



DRAG 15



mm/m 0.30/470  
0.35/345  
0.40/265



mm/m 0.30/320



mm/m 0.30/470



mm/m 0.30/320

## OXYGEN SC

- Competition surf reel with POM spools.
- Made in ultra-light, corrosion-resistant polymer.
- Super compact body
- 8 stainless steel bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (15 kg).
- Automatic bail pick-up.
- Main graphite spool of STANDARD capacity.
- Extra POM spool with a low capacity (SHALLOW), specially designed for casting.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.

REF. QVOSC



105 cm



531



7+1



4.5:1



DRAG 15



mm/m 0.30/300



mm/m 0.45/350

## OXYGEN SD

- Surf-casting reel made in ultra-light, corrosion-resistant polymer.
- 8 stainless bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- Progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers.
- Automatic bail pick-up.
- Additional graphite spool with a high line capacity.
- Over-sized line guide with extra-thick pick-up.
- Main spool machined in ALUMINIUM, specially designed for fishing with thick lines.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.



REF. QVOSD

92 cm 653 7+1 4.7:1 DRAG kg 6

## OXYGEN SC PRO

- Surf-casting reel made in ultra-light, corrosion-resistant polymer.
- 8 stainless bearings: 1 infinite anti-reverse bearing and 7 ball bearings.
- Worm shaft gear oscillation system.
- Progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers.
- Automatic bail pick-up.
- Additional graphite spool with a high line capacity.
- Over-sized line guide with extra-thick pick-up.
- Main spool machined in ALUMINIUM, with a low capacity (SHALLOW), specially designed for casting.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.



REF. QVOSCP

101 cm 630 7+1 4.7:1 DRAG kg 6



mm/m 0.24/200



mm/m 0.40/330

## OXYGEN SX

- Surf reel with an excellent quality-price ratio, with 2 different capacity spools.
- Made in ultra-light, corrosion-resistant polymer.
- Compact body.
- 7 stainless steel bearings: 1 infinite anti-reverse bearing and 6 ball bearings.
- Worm shaft gear oscillation system.
- Progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers.
- Automatic bail pick-up.
- Main spool machined in ALUMINIUM, with a low capacity (SHALLOW), specially designed for casting.
- Spare STANDARD capacity ALUMINIUM machined spool.
- Over-sized line guide with extra-thick pick-up.
- Machined aluminium handle.
- Rubber grip.

REF. QVOSX

104 cm 634 6+1 4.6:1 DRAG kg 8

## ADDITIONAL SURFCASTING SPOOLS

REF.	mm/m	CAP.	MATERIAL	g	DRAG kg		€
QVESSAO	0.20/250	SHORT SUPER SHALLOW	Alumalite	66	Steel/carbon	ENYGMA ULS/ULH/ULC / OXYGEN SKHL/SCA/SK/SH/SC	
QVESSAS	0.20/250	SHORT SUPER SHALLOW	Alumalite	66	Steel/carbon	ENYGMA ULS/ULH/ULC / OXYGEN SKHL/SCA/SK/SH/SC	
QVESG2	0.20/250	SUPER SHALLOW	ABS Surfcasting	79	Steel/felt	ENYGMA SX / SC PRO / SC / SD	
QVEDG3	0.40/330	DEEP	ABS Standard	70	Steel/felt	ENYGMA SX / SC PRO / SC / SD	
QVOSSAAR	0.20/250	SUPER SHALLOW	Alumalite	78	Steel/felt	ENYGMA ULS/ULH/ULC / OXYGEN SKHL/SCA/SK/SH/SC/ZK/ZH	
QVOSAP	0.30/320	SHALLOW	Aluminum	103	Steel/felt	ENYGMA ULS/ULH/ULC / OXYGEN SKHL/SCA/SK/SH/SC/ZK/ZH	
QVOSGW	0.30/320	SHALLOW	POM	68	Steel/felt	ENYGMA ULS/ULH/ULC / OXYGEN SKHL/SCA/SK/SH/SC/ZK/ZH	
QVODGB	0.30/470	STANDARD	Graphite	83	Steel/felt	ENYGMA ULS/ULH/ULC / OXYGEN SKHL/SCA/SK/SH/SC/ZK/ZH	



# OXYGEN SBA



mm/m  
0.20/320  
0.25/210  
0.30/150



mm/m  
0.30/460  
0.35/345  
0.40/260

- Complete reel for getting started in surfcasting.
- Made in ultra-light, corrosion-resistant polymer.
- 6 bearings: 1 infinite anti-reverse bearing and 5 ball bearings.
- Gear oscillation system.
- FAST-DRAG progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (14 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMINIUM, with a low capacity (SHALLOW), specially designed for casting.
- Extra graphite spool of STANDARD capacity.
- Oversized line guide.
- Machined aluminium handle.
- Rubber grip.

REF. QVOSBA



98 cm



631



5+1



4.1:1



14

# OXYGEN XBA



- Reel for getting started in surfcasting.
- Made in ultra-light, corrosion-resistant polymer.
- 7 stainless bearings: 1 infinite anti-reverse bearing and 6 ball bearings.
- Worm shaft gear oscillation system.
- Progressive micro-adjustable waterproof drag system.
- Drag with felt and steel washers (17 kg).
- Automatic bail pick-up.
- Main spool machined in ALUMINIUM, with a standard capacity.
- Spare graphite spool with a low capacity (SHALLOW), specially designed for casting.
- Over-sized line guide with extra-thick pick-up.
- Ultra-lightweight machined aluminium handle.
- Rubber grip.

REF. QVOXBA



mm/m  
0.30/420  
0.35/330  
0.40/230



mm/m  
0.20/380  
0.25/260  
0.30/180



100 cm



629



6+1



4.1:1



17

## ALUMALITE SHORT SUPER SHALLOW



QVSSAO



QVSSAS

## SUPER SHALLOW GRAPHITE



QVESG2

## GRAPHITE DEEP



QVEDG3



## ALUMALITE SUPER SHALLOW



QVOSSAAR

## ALUMINIUM SHALLOW



QVOSAP

## POM SHALLOW



QVOSGW

## GRAPHITE STANDARD




QVODGB

## S.W.S. SURFCASTING WORKING STATION

- Lightweight aluminium trolley specifically designed for surf casters. Its square-shaped tube structure gives it the strength to withstand heavy loads.
- It is equipped with two large inflatable "ball" wheels, 38 cm diameter and 18 cm thick, for problem-free handling on sandy beaches.
- Supplied with a (30 x 20 x 8.7 cm) folding tray, perfect for bait and accessories.
- Measurements: 110x36 (76 with wheels) x50 cm.

REF. FVSWS



### "BALL" WHEEL

REF. FRSWS



### MASSA

- 18L plastic bucket.

REF. MVCU







## RAGNO-T EVO

- Blue anodized aluminium tripod.
- Height-adjustable front feet and rear section.
- Opening system controlled by adjustable stops.
- Folded with plastic fasteners.
- Holder for two height-adjustable rods.
- Maximum length 180 cm.
- Folded length: 100 cm.

REF. FVRTE



## RAGNO EVO

- Blue anodized aluminium tripod.
- Opening system controlled by adjustable stops.
- Folded with plastic fasteners.
- Holder for two height-adjustable rods.
- Maximum length 150 cm.

REF. FVRGE

## BASTONE

- Individual holder with painted aluminium sections. Reinforced plastic fasteners to prevent breakages. Height adjustable bottom tray.

REF.	LENGTH	€
FVBA130	130	
FVBA160	160	



## PIATTO ROCK


- Telescopic rod holder with three adjustable legs.
- Maximum length: 60 cm.
- Folded length: 35 cm.
- Width of the open holder: 47 cm.
- Weight 475 g.

REF. FVP

## PIATTO

- Telescopic rod holder with three adjustable legs.
- Maximum length: 120 cm.
- Folded length: 53 cm.
- Width of the open holder: 70 cm .
- Weight 617g.

REF. FVPT





## SUPRA

- Rigid, padded surfcasting carrying case.
- Extremely wear resistant fabric and large, plasticized zip, for enhanced resistance to salty environments.
- 2 side pockets.
- 160x20x15 cm

REF. FVS160



## SUPRA ALUMINIUM LONG



- Rigid surfcasting rod case with folding aluminium legs.
- Excellent support offering greater stability and with no danger of toppling over.
- Plastic coated zipper with wide teeth.
- 2 side pockets.
- 160 x 17 x 10 cm

REF. FVSL160



## SUPRA ALUMINIUM

- Rigid surfcasting carrying case with folding aluminium legs.
- Sturdy and stable.
- Large, plasticized zip.
- 3 side pockets.
- 150x17x10 cm

REF. FVST150



## SUPRA STRONG

- Lightweight, rigid surfcasting carrying case.
- Extremely wear resistant fabric and hard base for enhanced rod protection.
- Large zip, resistant to salty environments.
- 3 outside pockets for accessories.
- 2 Measurements:  
(FVSS150) 150x17x10 cm  
(FVSS160) 160x17x10 cm

REF. FVSS150  
REF. FVSS160



## PIETRA

- Rigid rod case for protecting and carrying rods. Thanks to its hard, lightweight shell, your rods will be protected against any impact.
- The rod case ends are rounded to make it easier to zip up.
- Carry strap measurements: 160x14x13 cm

REF. FVPR160



**Vercelli**



## SPARTANA PRO

- Rigid rod case made from durable 600 denier nylon for carrying surf casting rods. Spacious independent side pocket for holding banksticks or telescopic rods.
- Adjustable carry strap.
- Measurements:  
150x15x15,5 cm  
160x15x15,5 cm

REF. FVSNP150  
REF. FVSNP160

## SPARTANA

- Rigid rod case made from durable 600 denier nylon for carrying surf casting rods.
- Adjustable carry strap.
- Measurements:  
150x15x15,5 cm  
160x15x15,5 cm

REF. FVSN150  
REF. FVSN160

## STACCATO

- Rigid rod case made from durable 600 denier nylon for protecting and carrying your rod.
- Adjustable carry strap.
- Measurements:  
(FVTC135) 135x10 cm  
(FVTC150) 150x10 cm  
(FVTC160) 160x10 cm

REF. FVTC135  
REF. FVTC150  
REF. FVTC160

## SKIN

- Padded protective case made of micro grid.
- Measurements:  
(FVS) 148x15 cm  
(FVSG) 165x15 cm

REF. FVS  
REF. FVSG

## SKIN-B

- Lightweight rod bag with zip.
- Nylon fabric with ultra fine pores to prevent sand from getting in.
- 150x15 cm

REF. FVSB



## IMPERIA – 66 L

- Shoulder bag with two main compartments, separated by a reinforced protective film.
- Upper compartment with adjustable foam dividers for storing surfcasting reels or any other bulky object that is likely to be damaged.
- Lower compartment with two plastic boxes, each measuring 36x22x5 cm, and a thermal bag, perfect for keeping food and drink warm, measuring 37x28x10 cm.
- Two side compartments:
  - one with a reel holder bag, 26x8x2 cm with adjustable foam dividers (also sold separately. REF.: MVB).
  - another reinforced compartment for holding tools without damaging the rest of the luggage.
- It also has two inner pockets for storing and protecting small objects.
- Padded handle so that it can also be used as a bag.
- Measurements: 40x55x30 cm.

REF. MVI66



## TORRETA 55L

- Large storage backpack, designed to hold surfcasting boxes and accessories.
- Main compartment with removable divider.
- Bottom compartment with side opening, intended for storing plastic boxes (not included).
- Compatible boxes: MVS1 x3
- Top compartment for holding reels, with adjustable foam dividers
- Two side pockets for storing terminal tackle and other accessories.
- Dimensions: 57x35x21 cm

REF. MVT55



## FURGONE 45L

- Extremely compact large capacity waterproof backpack.
- Constructed in reinforced PVC to withstand scrapes and snags.
- Spacious bottom compartment with front access, intended for storing stacked plastic boxes (not included). (Compatible boxes: VERCELLI MVS1)
- Top compartment with front access.
- Dimensions: 48x38x22 cm

REF. MVF45





## TERRA 40L

- Two main, separate compartments that can be combined to create a single space.
- Bottom compartment can hold five M6300A plastic anti-vinyl plastic boxes measuring 345x215x50 mm. (Sold separately)
- Trapezoidal shape offering greater stability, particularly for carrying heavy items.
- Padded back panels and hip belt for extra comfort.
- Four outer pockets for small items.
- Measurements: 44x37x17 cm

REF. MVT40



## PROVENZA - 25 L

- Shoulder bag with two main padded compartments, separated by a reinforced protective film.
- Flat upper pocket.
- Rod holding system on both sides of the shoulder bag.
- Padded handle so that it can also be used as a bag.
- Measurements: 41x25x25 cm

REF. MVP25



## REEL COVERS

### COVER FOR REELS AND SPOOLS

- Space for a surf reel and its extra spools.
- Dimensions: 28x17x12 cm

REF. FVCB



### REEL HOLDER COVERS

- Elongated cover with hardened coating
- With interior foam dividers
- Dimensions: 30 cm (large) x 9 cm (diameter).

REF. FVB5



### REEL CARRYING BAGS

- Capacity: 1 reel: 24x18x10 cm. (FVERB)
- Capacity: 2 reels: 24x18x20 cm. (FVERBD)

REF. FVERB

REF. FVERBD



- With adjustable foam dividers
- Dimensions: 30x17x8 cm

REF. FVB6



## SEMI-RIGID BOXES

- Combinable PVC boxes, perfect for storing all your material.

### BAKKAN

- Fitted with two plastic handles and a shoulder strap.
- Dimensions: 40x25x27 cm

REF. MVBK

### POCKET

- Perfect for creating many different storage combinations in the VERCELLI BAKKAN box.

#### POCKET I

19x12x12cm

REF. MVCR1

#### POCKET II

24x19x12cm

REF. MVCR2



#### POCKET III

38x12x12cm

REF. MVCR3



## BOXES

### WATERTIGHT



#### MVS1

350x200x80 mm

REF. MVS1



### WATERTIGHT



#### MVS2

270x180x50 mm

REF. MVS2



### WATERTIGHT



#### MVS3

105x68x26 mm

REF. MVS3

## ROD STRAP

- Measurements 420x82 mm

REF. BVAN420



## BOX FOR WINDERS



#### MVPP10



#### MVPP23



#### MVPP46



#### MVPP40

REF.				€
MVPP10	150x100x70 mm	10 / 60 mm Ø	10	
MVPP23	265x220x75 mm	23 / 60 mm Ø	10	
MVPP46	320x230x85 mm	46 / 65 mm Ø	10	
MVPP40	360x268x86 mm	40 / 80 mm Ø	8	



# AURA

FLUOROCARBON 100%



100% fluorocarbon line specially designed to make surfcasting line rigs. Its main feature is its ease to "press" the knots, with which our rig will be perfect. The optimum point of hardness of this line, will avoid the rig twist in rough sea conditions. Totally invisible under water and with a highly resistant to abrasion.

Supplied in 50 and 100 m. spools

Ø MM	LBS	KG	REF. 100M	€	REF. 50M	€
0,2	9,75	4,43	LVAF10020	-	-	-
0,22	11	5	LVAF10022	-	-	-
0,24	13	5,91	LVAF10024	-	-	-
0,26	16	7,27	LVAF10026	-	-	-
0,28	17	7,73	LVAF10028	-	-	-
0,3	20	9,09	LVAF10030	-	-	-
0,35	23	10,45	LVAF10035	-	-	-
0,4	31	14,09	-	LVAF5040	-	-
0,45	35	15,91	-	LVAF5045	-	-



# IGNITION

Surf

Monofilament line specifically designed for surfcasting competition fishing. Thanks to its innovative silicone coating it smoothly slides through the guides, giving it a longer casting distance than its competitors. Moreover, it offers greater resistance to degradation by the sun and saltpetre, considerably lengthening its useful life in relation to other lines. Longer casting distances and unaltered quality for many more days...

Colour: Dark red.

Supplied in 1000 and 3000 m. spools

Ø MM	KG	REF. 1000M	€	REF. 3000M	€
0,12	2,05	-	-	LVIG300012	-
0,14	2,21	-	-	LVIG300014	-
0,16	3,02	LVIG100016	-	LVIG300016	-
0,18	4,03	LVIG100018	-	LVIG300018	-
0,20	4,55	LVIG100020	-	LVIG300020	-
0,22	6,37	LVIG100022	-	LVIG300022	-
0,24	6,76	LVIG100024	-	LVIG300024	-
0,26	8,07	LVIG100026	-	-	-



# WAVE

Surf

A line specifically designed for surfcasting enthusiasts.

Calibrated diameter along the entire length and a perfect balance between stiffness, resistance and elastic recovery.

Great casting performance and wear resistance thanks to its outer coating. Colour: Red

Supplied in 1000 and 3000 m. spools

Ø MM	KG	REF. 1000M	€	REF. 3000M	€
0,12	2,05	LVSF100012	-	LVSF300012	-
0,14	2,61	LVSF100014	-	LVSF300014	-
0,16	3,19	LVSF100016	-	LVSF300016	-
0,18	4,21	LVSF100018	-	LVSF300018	-
0,20	5,22	LVSF100020	-	LVSF300020	-
0,22	6,09	LVSF100022	-	-	-
0,24	7,25	LVSF100024	-	-	-
0,26	7,54	LVSF100026	-	-	-



# HELIX

Line designed for experienced recreational fishing ,while it is also perfect as a line for surfcasting competitors.

Its innovative manufacturing process, based on a high-pressure extrusion technique, provides controlled, long-lasting elasticity, creating the perfect compromise between elasticity and "stiffness", something that every angler is looking for in a good surfcasting line.

Calibrated diameter and superior knot resistance and tensile strength. Colour: violet.

Supplied in 1000 and 3000 m. spools

Ø MM	KG	REF. 1000M	€	REF. 3000M	€
0,12	1,89	-		LVHS300012	
0,14	2,31	LVHS100014		LVHS300014	
0,16	3,1	LVHS100016		LVHS300016	
0,18	3,75	LVHS100018		LVHS300018	
0,20	4,23	LVHS100020		LVHS300020	
0,22	5,41	LVHS100022		LVHS300022	
0,25	6,58	LVHS100025		LVHS300025	



# TAPER LINE

220 metre high-quality copolymer monofilament line spools.

Comprising 200 metres of fine diameter, perfectly calibrated nylon, ending in a robust 0.57 mm tapered leader.

As there are no joining knots, the line can slide quickly and smoothly through the rings, helping you to gain those vital extra casting metres that make the difference between catching or losing a fish.

The powerful 0.57 mm finish perfectly cushions the impact of even the hardest casts. Multi-colour.

Price per spool.

REF.	Ø MM	KG	€
LV22016	0,16 - 0,57	3,60	
LV22018	0,18 - 0,57	4,10	
LV22020	0,20 - 0,57	5,92	
LV22023	0,23 - 0,57	6,73	





## TAPERED SHOCK LEADER MULTICOLOR

15 metre tapered leaders, specifically designed for surfcasting. Made from high quality copolymer with great knot strength and optimal rigidity.

Thanks to their strategic colour changes, these leaders offer two great advantages over normal tapered leaders: the first 5 metres of the leader are transparent in colour, until the casting diameter is reached (0.57 m) when the colour changes to red. This colour change means that, when retrieving the line, you'll know precisely when the maximum thickness goes onto the reel, for problem-free working of the fish over the last few metres. Then, the last 2 meters of the leader are once more transparent, to better conceal the rigging and go unnoticed by fish.

Ø MM	15 M X 5 PCS REF.	€
0,16 - 0,57	LVPM516	
0,18 - 0,57	LVPM518	
0,20 - 0,57	LVPM520	
0,23 - 0,62	LVPM523	



## TAPERED SHOCK LEADER

Set of 15 metre tapered leaders, specifically designed for surf casting.

Made from high-quality copolymer with excellent knot strength and superior abrasion resistance, ending in a powerful 0.57-0.70 mm diameter; the first 5 metres are tapered, increasing from the initial diameter up to hook diameter for the final 10 metres, perfectly cushioning the impact of even the hardest casts.



### SOLID ORANGE

High visibility solid orange colour for full control of the entry of the terminal tackle on the rod. Price per spool.

Ø MM	15 M X 10 PCS REF.	€	15 M X 5 PCS REF.	€
0,16 - 0,57	LVPN16		-	
0,18 - 0,57	LVPN18		-	
0,20 - 0,57	LVPN20		-	
0,23 - 0,62	LVPN23		-	
0,33 - 0,66	LVPN33		LVPN533	
0,37 - 0,70	LVPN37		LVPN537	



### TRANSPARENT

Price per spool.

Ø MM	15 M X 10 PCS REF.	€	15 M X 5 PCS REF.	€
0,16 - 0,57	LVPT16		LVPT516	
0,18 - 0,57	LVPT18		LVPT518	
0,20 - 0,57	LVPT20		LVPT520	
0,23 - 0,57	LVPT23		LVPT523	
0,28 - 0,62	LVPT28		LVPT528	
0,33 - 0,66	LVPT33		LVPT533	
0,37 - 0,70	LVPT37		LVPT537	





STRAIGHT



TWISTED



SPADE END



RINGED EYE



MICRO-RING



CURVED POINT




ULTRA-FINE



## ABERDEEN (RINGED EYE)



**BN**



Straight long-shank hook specially designed for rigs with worms. Perfect for flat fish and small-mouth fish. It is suitable for competition and leisure fishing alike.

REF.	2/0	1/0	1	2	4	6	8
AV08ANOS*							




Prices per bag.

## SODE (RINGED EYE)



**BN**



Versatile hook for fast competition fishing. Straight, with a strong twisted tip. Perfect for threading fine, delicate worms with no tearing problems.

REF.	2	4	6	8	10
AV09ANOS*					




Prices per bag.

## CHINU (RINGED EYE)



**BN**



Offset ringed hook, specially designed for moments when there isn't time to snell a CHINU with shank, or there's no possibility of doing so. Thanks to its versatility and hardness, this hook meets the exacting demands of the most experienced anglers.

REF.	1	2	3	4	5	6	8
AV01ANOS*							



Prices per bag.

## CHINU



**BN**



REF.	1	2	3	4	5	6	8
AV01NOS*							




Prices per bag.

Highly versatile offset hook with a medium shank. For use with hard, consistent bait, such as razor fish, lugworms or ragworms while it is also suitable for other, smaller, more delicate options such as sandworms. This is the toughest hook in the VERCELLI brand. Thanks to its barb, ending in a curved point, it is extremely effective in keeping the fish on the hook. This is really important when tackling fighters such as the sea bass or gilthead sea bream.

## KANTUKI UMI TAMAGO (RINGED EYE)

BN



REF.	1/0	1	2	4	6	8	10
AV02ANOS*							


Prices per bag.



A straight hook with a medium shank, with a wide gap from the hook to the shank. This makes it perfect for hooking soft mouthed fish. Ideal for using with any type of bait, including fine bait such as the red worm.

## YAMAME

BN



REF.	2	4	6	8	10	12
AV03NOS*						

Prices per bag.



The competition hook par excellence. This extremely fine wire hook is specifically designed to maintain the mobility of fragile, delicate baits such as the ragworm or sandworm, etc. The position of the barb is quite high, making it ideal for use with delicate bait to fish all types of bottom feeders. It's extremely quick and easy to remove the hook, in any situation, making it ideal for competitions.

## KANTUKI MARUSODE (RINGED EYE)

BN



REF.	2	4	6	8	10
AV04ANOS*					


Prices per bag.



This extremely fine hook with a special micro-ring is perfect for surfcasting rigs. It is extremely effective in holding the bait.

## KANTUKI KEIRU (RINGED EYE)

BN



REF.	2	4	6	8	10
AV05ANOS*					

Prices per bag.



Extremely fine hook with micro ring, specially designed for maintaining the mobility of fragile baits. A good option for those anglers wanting to make the most of these characteristics in a ringed hook.


## BOTTOM FISHING

Unit price.

12



Sinker weight for bottom fishing, characterised by a rapid sinking action and little deviation in strong currents, thanks to its teardrop compact size. Plastic hi-vis fluorescent coating (G, O).




REF.			€		€
TVF01*	85	G, O		Y	
TVF02*	105	G, O		Y	
TVF03*	125	G, O		Y	
TVF04*	145	G, O		Y	
TVF05*	165	G, O		Y	

## CASTING VARILLA

Surf casting weight, specifically designed for long casting. Plasticised high-visibility fluorescent coating.


REF.			€
TVV1*	105	B, G, P	
TVV2*	115	B, G, P	
TVV3*	120	B, G, P	
TVV4*	135	B, G, P	



## CASTING FONDO

Surf casting weight, adapted to any casting conditions. Plasticised high-visibility fluorescent coating.


REF.			€
TVF1*	95	P, G	
TVF2*	115	P, G	
TVF3*	125	P, G	
TVF4*	145	P, G	
TVF5*	170	P, G	



## CASTING PIRÁMIDE

Surf casting weight for long distance castings on days with a rough sea and currents, in which it is well supported on the sandy bottom. Plasticised high-visibility fluorescent coating.

REF.			€
TVP1*	105	B, G, P	
TVP2*	120	B, G, P	
TVP3*	140	B, G, P	



## GLOW SLEEVE

Silicon heatshrink glow sleeve, specially designed for mounting surf terminal tackle, a covering for knots, barrel swivels and quick snaps. To use, cut the size needed and secure by applying heat (the diameter shrinks by 60%).


REF.	SIZE		€
BVTL12	1.2	50 cm	
BVTL24	2.4	45 cm	



## HEAT SHRINK TUBE

A tube that can be easily mounted to any part of the terminal tackle requiring protection, thanks to its ability to reduce its size by 60% through heat application.

REF.	Ø			€
BVTR3	3	1 m	B, R	
BVTR4	4	1 m	B, R	
BVTR5	5	1 m	B, R	



## SILICONE TUBE

Tube that provides protection to the terminal tackle where required.

REF.	Ø			€
BVTI07	0,7	1 m	TR, G	
BVTI10	1	1 m	TR, G	
BVTI15	1,5	1 m	TR, G	





## INOX CRANE



Crane swivel made from stainless steel.  
Black nickel finish.

REF.	6	8	10	12	14
BV12*					



## ROLLER



Roller crane swivel.  
Black nickel finish.

REF.	6	8	10	12	14
BV13*					



## CONNECTION ACCESSORIES

Prices per bag.

Link-clip with swivel for the rapid mounting of sinkers.



REF.	N° SWIVEL	N° CLIP	€
BV01	6	2	
BV01S	10	4	



Competition level fast-link connector, mounted with a rolling swivel and heat shrink for rigging leaders for surf casting.


REF.	N° SWIVEL	€
BV02	6	
BV02S	10	



Silicon stoppers with rolling swivel and micro pearls, ideal for mounting snoods.

SIZE: S, M, L

REF. BV07\*



Chain of silicon stoppers to attach the snoods on the terminal tackle.



Competition level fast-link connector with heat shrink.

REF. BV03



Competition level rapid connector rigged with a snap, bead and heat shrink cover for rigging surf terminal tackle.

REF. BV09



Chain of multi-colour silicon stoppers to attach the snells on the terminal tackle.

SIZE: SS, S, M, L

REF. BV10



REF.	SIZE	€
BV05SSS	3,50x1,10mm	
BV05SS	4,30x1,30mm	
BV05S	6,00x1,50mm	
BV05M	6,40x1,80mm	
BV05L	7,00x2,00mm	

Crane-Hole. Perforated rolling swivel for mounting snoods.

REF. BV08



Rolling swivel with fluorescent rotating pearls for mounting snoods. It is secured with 2 silicon stoppers.

SIZE: M, G

REF. BV06\*



"Urfe" for top competition with a rolling barrel for the leader, rolling swivel for the snood and quick connector for the sinker.

REF. BV04



Chain of multi-colour elongated stoppers to attach the snells on the terminal tackle.

SIZE: S, M, L


REF. BV11



## PRECISION SCISSORS

- Scissors made from stainless steel.
- Micro-serrated blades for cutting very fine material.
- The blades are detachable, making them easy to sharpen, with a screw for re-adjustment.
- Over-sized grip on one side for greater control in difficult cutting situations.
- Measurements:  
Blade: 40 mm  
Total: 135 mm

REF. BVTP



## FISHING RIG GLUE



Immediate adhesion, quick drying, water resistant, specially designed for terminal tackle and trolling rigs. Specially for the rapid bonding of rubber and silicone beads with nylon or fluorocarbon. Extra-strong adhesion with no damage to the line. Thanks to its viscosity, you can make "stopper beads" to secure bi-perforated pearls.

REF. BPFL



## FLOATERS

High-density foam floaters, hand-made and painted, specifically designed for keeping the bait off the bottom. Perfect for those summer days in which the fish are wary, and feed in mid water. What's more, this prevents the bait from remaining on the bottom, to be eaten by shellfish. Available in 2 sizes and 12 different colours, with a glitter finish (BVFM/BVFL) for day fishing and a fluorescent finish (BVFLM/BVFL) for night fishing. Models BVFOM\* and BVFOL\* are made with a pigment that gives off an odour that is extremely attractive to fish.


REF.	mm	SIZE		€
BVFM*	6,5 x 13	M	AB, B, G, GR, O, P, R, RW, W, Y, YG, YR	
BVFL*	8,5 x 13	L	AB, B, G, GR, O, P, R, RW, W, Y, YG, YR	
BVFLM*	6,5 x 13	M	AB, B, G, GR, O, P, R, RW, W, Y, YG, YR	
BVFL*	8,5 x 13	L	AB, B, G, GR, O, P, R, RW, W, Y, YG, YR	
BVFO*	6,5 x 13	M	P, S	
BVFO*	8,5 x 13	L	P, S	

Prices per bag.



ODOROUS

ODOROUS



## STOPPERS

Set of floating glow stoppers, available in strings for ease of rigging. Made in highly buoyant material for fishing in difficult conditions. In this way you can prevent the terminal tackle from remaining on the bottom, where the bait would be eaten by shellfish.

### OVAL

REF.	mm	SIZE		€
BVS03L*	11x5,6	L	O, OW, P, W, YW	
BVS03XL*	15x7,3	XL	O, OW, P, W, YW	

### OVAL LUMINOUS

REF.	mm	SIZE		€
BVS01L*	11x5,6	L	FGB, FOY, FP, FPW, FW, FY	
BVS01XL*	15x7,3	XL	FGB, FOY, FP, FPW, FW, FY	

### ROUND LUMINOUS

REF.	mm	SIZE		€
BVS02L*	10	L	FP, FW, FY	
BVS02XL*	12	XL	FP, FW, FY	

Prices per bag.



## HARD BEADS



Plastic oval glow beads to protect rolling swivels and to make rigs. They offer a high drawing power for your baited snells.



Plastic oval beads, perfect for rigging fine snells for night fishing.



Plastic glow beads, perfect for protecting rolling swivels and making rigs. They offer a high drawing power for your baited snells.



Plastic round beads, perfect for rigging fine snells for night fishing.



Plastic beads to protect rolling swivels in competition rigs.

### OVAL GLOW BEADS

REF.	mm	SIZE		€
BVPH1S	4x3,5	S	25	
BVPH1M	5x4	M	18	
BVPH1L	6x4	L	16	
BVPH1XL	8x6	XL	9	
BVPH1XXL	10x8	XXL	6	

Prices per bag.



### TRANSPARENT OVAL GLOW BEADS

REF.	mm	SIZE		€
BVPH3SS	3x2	SS	25	
BVPH3S	3,5x3	S	25	
BVPH3M	5x3	M	18	
BVPH3L	6x4,7	L	16	
BVPH3XL	8x5	XL	9	
BVPH3XXL	10x7	XXL	6	

Prices per bag.



### ROUND GLOW BEADS

REF.	mm	SIZE		€
BVPH4S	3	S	25	
BVPH4M	4	M	18	
BVPH4L	5	L	16	
BVPH4XL	6	XL	9	
BVPH4XXL	8	XXL	6	

Prices per bag.



### TRANSPARENT ROUND GLOW BEADS

REF.	mm		€
BVPH5M	5	16	

Prices per bag.



### HARD ROUND BEADS

REF.	mm	SIZE			€
BVP03M*	5	M	NB	12	

Prices per bag.




## HARD ROUND 2-HOLE BEADS

REF.	mm	SIZE			€
BSPB20	2	SS	24	25	
BSPB26	2,6	S	24	18	
BSPB33	3,3	M	24	16	
BSPB40	4	L	24	9	

Prices per bag.

24


10



## SOFT BEADS



Soft silicon oval glow beads, perfect for protecting terminal tackle stopper knots.



### OVAL GLOW BEADS

REF.	mm	SIZE			€
BVPS1SS	3x2	SS	B, G, P	25	
BVPS1S*	4x3,5	S	B, G, P	25	
BVPS1L*	6x4	L	B, G, P	16	
BVPS1XL*	8x6	XL	B, G, P	9	
BVPS1XXL	10x7	XXL	B, G, P	6	

Prices per bag.

10



Soft silicon rounds glow beads, perfect for protecting terminal tackle stopper knots.



### ROUND GLOW BEADS

REF.	mm	SIZE			€
BVPS2S*	3	S	B, G, P	25	
BVPS2M*	4	M	B, G, P	18	
BVPS2L*	5	L	B, G, P	16	
BVPS2XL*	6	XL	B, G, P	9	

Prices per bag.

10

## MINI-BEADS

Small, hard beads. Ideal for rigging fine terminal tackle and to "embellish" your hooks.



REF.		€
BVP04*	AZ/BL/MC/NA/NE/RO	

200

10

Prices per bag.

## MICRO-BEADS

Hard micro beads for ultra-fine competition rigs.



REF.		€
BVP05*	NE/TR	

200

10

Prices per bag.



## BEACH PRO SET

HDI 

- Two-piece rain suit (jacket+bib pants) with endless details and an outer layer that will protect you from the bad weather. Ideal for fishing on shore or on a boat. Made in 100% polyester rip stop tough long-lasting fabric with waterproof laminate.
- Sealed seams. HDI high thermal insulation of 200gsm in the body and 160gsm in the sleeves, hood and bib. Comfortable inner lining 100% taffeta polyester. Roomy cut for use over other garments or thermal underwear.
- Windproof and waterproof OSMOTECH membrane. High waterproofness (8000 mm) and breathability (5000 gr/m<sup>2</sup>).
- **JACKET:** Front closure with double zip and flap. Detachable zipper hood with visor, insulating lining and adjusted with toggle stoppers. High fleece-lined collar for greater protection against the wind and rain. Watertight elasticized neoprene inner cuffs with a velcro outer adjustment. Adjustable waist Zippered hand warmer chest pockets. 2 low pockets with zip closure.
- **PANTS:** Adjustable elastic braces for improved shoulder fit. The bib can be folded down to the waist, using the braces as a belt secured with the male/female hooks. Elastic waist. Zip and velcro adjustable ankles. Cargo pockets on the waist with a velcro closure and D-ring.
- Size: S, M, L, XL, XXL.



REF. XVBPS\*



## SOFT SHELL

 WINDPROOF

- Soft shell sports jacket. Designed in a trilaminate fabric: noiseless exterior, WINDTECH wind-shield membrane and inner micropolar lining. Pockets with sealed seams. 2 front pockets: 1 on the chest, 1 on the sleeve. Colour: Blue.
- Composition:
- Outer layer: 100% Polyester.
- Inner layer: PU laminated membrane.
- Lining: 100% Polyester.
- Size: M, L, XL, 2XL

REF. XVSS\*





## ACQUA-TS



- Technical sports T-shirt.
- Made from elastic technical fabric that helps to wick sweat away, keeping your body drier and fresher.
- With UPF + 50 treatment to protect against UV rays.
- Size: S, M, L, XL, XXL.

REF. XVA\*

## GALE

- Warm micropolar hat.

REF. XVGB



## CAP

- Peaked cap with adjustable strap.

REF. XVC



## MARE

- Sports cap with a curved visor with embroidered logo.
- Mesh on the back Plastic adjustable snap on the back.

REF. XVMAC



## TEAM TECH-H

- Technical Hoodie, a must-have sports item. Second layer made from woven elastic. To wick away sweat, keeping your body drier and fresher, while providing protection from the sun.
- Chest pocket.
- Outer layer: 100% Polyester.
- Size: M, L, XL, 2XL

REF. XVTH\*

## PRO XP

- Single finger glove for surfcasting made from neoprene and leatherette.
- Protects your finger from the line when casting.
- Adjustable elastic band and velcro around the wrist.

REF. XVPXG



## DEDAL

- Leather finger glove with adjustable waist band.
- Velcro adjustable.

REF. FVG D




## FLAG

- Neck gaiter in technical elastic fabric.

REF. XV F







## REELS DISPLAY CASE

- Material: Acrylic.
- Capacity: 30 reels.
- Measurements: 35x180x35 cm

REF. FEXFCAV

## ROD DISPLAY RACK

- Wood Capacity: 12 rods.
- Measurements: 61x110x49 cm

REF. FEXFCV



