



VIRBUX



VIRUX CAMO

Your carp fishing rod with a lifelike camo design!

100% Carbon. SIC reinforced double foot guides Special size 50 stripper guide. DPS screw-lock reel seat with cushioned hood. Carbon line-keeper. Metal butt with ergonomic grip. Cloth rod bag.

REF.	LENGTH	BLANK LENGTH	SECTIONS	POWER	WEIGHT	PRICE
DXC1235	12' - 3,60m	186 cm	2	3.5 Lb.	389	

VIRUX 1

Power for anglers of all types!

100% Carbon. SIC reinforced double foot guides 50 special size stripping guide for the 12' / 3.60m size. FUJI DPS cushioned screw reel seat. Carbon line-keeper. Metal butt with ergonomic grip. Cloth rod bag.

REF.	LENGTH	BLANK LENGTH	SECTIONS	POWER	WEIGHT	PRICE
DX11035	10' - 3.00 m	158 cm	2	3.5 Lb.	314	
DX11235	12' - 3.60 m	186 cm	2	3.5 Lb.	397	

VIRUX 0

Carp fishing for everyone!

100% Carbon. SIC reinforced double foot guides Special size 50 stripper guide. DPS screw-lock reel seat with cushioned hood. Carbon line-keeper. Metal butt with ultra-fine grip. Cloth rod bag.

REF.	LENGTH	BLANK LENGTH	SECTIONS	POWER	WEIGHT	PRICE
DX01235	12' - 3.60 m	186 cm	2	3.5 Lb.	357	
DX012353	12' - 3,60 m	125 cm	3	3.5 Lb.	338	



VIRUX CAMO

VIRUX 1

VIRUX 0 - 2 Sec

VIRUX 0 - 3 Sec

Engineered by **HART**

Carp Fishing enthusiasts are really in luck!

This family of rods meets the expectations of all types of fishermen, from beginners right up to the most demanding and expert Carp fishermen...

These rods feature the very latest trends in Carp fishing: 50 mm stripper guides, ergonomic butts, Fuji components and the finest diameters in their respective categories.

Power roods with sweet parabolic but progressive action, for long-distance lure casting and for combating the largest specimens without tearing their delicate mouths...

VIRUX 3



Maximum casting distance in a powerful and ultra-fine blank!!!

Rapid and progressive casting action and the perfect parabolic curve for fighting large fish.

Hi-Modulus Carbon (40Tn). SEAGUIDE KW double-foot guides (special size 50 stripper guide).

FUJI screw-lock reel seat with cushioned hood.

Grip with reinforced K1 woven carbon. Carbon line-keeper.

Metal butt with ergonomic non-slip grip. Cloth rod bag.

REF.						
DX31235	12' - 3,60 m	187 cm	2	3.50 Lb.	372	

VIRUX 2



Powerful yet classic assembly.

Progressive casting action and a great power reserve for the fight after the much-awaited bite.

Hi-Carbon (30Tn). Ultralight stainless steel double-foot guides without ceramic. Special size 50 SEAGUIDE stripper guide. DPS screw-lock reel seat with cushioned hood. Grip with reinforced K1 woven carbon. Carbon line-keeper. Metal butt with ergonomic non-slip grip. Cloth rod bag.

REF.						
DX21235	12' - 3,6 0m	185 cm	2	3.50 Lb.	444	
DX213375	13' - 3,90 m	201 cm	2	3.75 Lb.	467	

VIRUX 3

VIRUX 2

V11BF NEW

Baitfeeder reel for carp fishing with a powerful worm screw system and a great line capacity. Baitfeeder spool release system. Corrosion-resistant graphite body and rotor. Ultra-light rotor design. Long-stroke aluminium spool (more than 40mm winding height) for enhanced casting efficiency. 6 ball bearings + 1 infinite anti-reverse bearing. Quick set anti-reverse. Rapid progressive microadjustable braking system: in 180° of a turn it changes from the lowest to the highest braking power.

High capacity aluminium spool with stainless steel line-clip. Worm shaft gear oscillation system. Rotor braking system that prevents the rotor from moving during casting. Oversized wire guide with metal bearing. Machined aluminium handle with rubber grip.

BRS
balanced rotor system

ONE WAY
CLUTCH

ALUMINIUM

REF.	mm/m	mm/m	cm	g	cm	DRAG kg	€
QXV11BF	10.000	0.35/520 - 0.40/400 - 0.45/310	101	620	4.6:1	15	



6+1
ball
BEARINGS

V9BF

Baitfeeder reel for carp fishing and long casting, featuring a compact design but with a high line capacity. Baitfeeder spool release system. Corrosion-resistant graphite body and rotor. Ultra-light rotor design. Long-stroke aluminium spool (more than 40mm winding height) for enhanced casting efficiency. 5 ball bearings + 1 infinite anti-reverse bearing. Quick set anti-reverse. Rapid progressive microadjustable braking system: in 180° of a turn it changes from the lowest to the highest braking power. High capacity aluminium spool with stainless steel line-clip. Rotor braking system that prevents the rotor from moving during casting. Oversized wire guide with metal bearing. Machined aluminium handle with rubber grip.

BRS
balanced rotor system

ONE WAY
CLUTCH

ALUMINIUM

REF.	mm/m	mm/m	cm	g	cm	DRAG kg	€
QXV9BF	10.000	0.35/520 - 0.40/400 - 0.45/310	101	613	4.6:1	15	



5+1
ball
BEARINGS

VIRUX V9BFC



Baitfeeder reel for carp fishing and long casting, featuring a compact design but with a high line capacity. Baitfeeder spool release system
Corrosion-resistant graphite body and rotor. Ultra-light rotor design.
Long-stroke aluminium spool (more than 40mm winding height) for enhanced casting efficiency. 5 ball bearings + 1 infinite anti-reverse bearing. Quick set anti-reverse.
Rapid progressive microadjustable braking system: in 180° of a turn it changes from the lowest to the highest braking power. High capacity aluminium spool with stainless steel line-clip. Rotor braking system that prevents the rotor from moving during casting.
Oversized wire guide with metal bearing. Machined aluminium handle with wooden grip.

BRS
balanced rotor system

ONE WAY
CLUTCH

ALUMINIUM

REF.		mm/m	cm	g		DRAG kg	€
QXV9BFC	10.000	0.35/520 - 0.40/400 - 0.45/310	101	613	4.6:1	15	



V12S



Lightweight long-casting reel for carps.
Corrosion-resistant graphite body and rotor.
Long-stroke aluminium spool (37mm winding height) for enhanced casting efficiency.
7 ball bearings + 1 infinite anti-reverse bearing. Quick set anti-reverse.
Rapid progressive microadjustable braking system: in 180° of a turn it changes from the lowest to the highest braking power. High capacity aluminium spool with stainless steel line-clip. Worm shaft gear oscillation system.
Rotor braking system that prevents the rotor from moving during casting.
Oversized wire guide with metal bearing. Machined aluminium handle with wooden grip.
Spare graphite spool.

BRS
balanced rotor system

ONE WAY
CLUTCH

ALUMINIUM

GRAPHITE

REF.		mm/m	cm	g		DRAG kg	€
QXV12S	10.000	ALU 0.35/520 - 0.40/400 - 0.45/310 GRA 0.30/470 - 0.35/345 - 0.40/265	105	540	4.6:1	15	



V10S

New concept of a long-casting reel for carps. Corrosion-resistant graphite body and rotor. Long-stroke aluminium spool (35mm winding height) for enhanced casting efficiency. 6 ball bearings + 1 infinite anti-reverse bearing. Quick set anti-reverse. Rapid progressive microadjustable braking system: in 180° of a turn it changes from the lowest to the highest braking power. High capacity aluminium spool with stainless steel line-clip. Worm shaft gear oscillation system. Rotor braking system that prevents the rotor from moving during casting. Oversized wire guide with metal bearing. Machined aluminium handle with rubber grip.

BRS balanced rotor system

REF.		mm/m				DRAG kg	€
QXV10S	10.000	0.30/650 - 0.40/360 - 0.50/230	100	630	4.1:1	17	



V5BF

Your reel for getting started in carp fishing. Made in ultra-lightweight, corrosion-resistant graphite. 3 bearing technology:
 - 1 infinite anti-reverse bearing.
 - 2 Stainless steel bearings.
 Progressive micro-adjustable double drag system with clicker. BRS balanced rotor system. Oversized line guide. Machined aluminium handle with rubber grip. Aluminium spool with multi-perforations for minimum weight.

BRS balanced rotor system

REF.		mm/m				DRAG kg	€
QXV5BF	6.000	0.40/220 - 0.50/140 - 0.60/100	99	510	5.5:1	7	



Strike³

Made in ultra-light, corrosion-resistant graphite. 3 bearing technology:
 - 1 infinite anti-reverse bearing
 - 2 stainless steel bearings.
 Progressive micro-adjustable double drag system with clicker · BRS balanced rotor system · Oversized line guide · Folding handle with rubber grip · Aluminium machined spool with multi-perforations for minimum weight.

BRS balanced rotor system

REF.		mm/m				DRAG kg	€
QXST3603	6000	0.45/195 0.50/155 0.60/110	86	535	5.5:1	7	



CAVE BIWY

Bivvy with a 210D PU camo pattern nylon finish that is incredibly waterproof (5000mm). Designed with two access points: the main one at the front and a smaller one at the back. It is supported by two strong removable aluminium arcs in the form of a tube. It comes with a PVC groundsheet to protect the user from the damp and for an enhanced comfort level in the tent. Capacity for two large bedchairs. Designed so that users can remain standing inside. Dimensions. 310x350x185 cm

REF. MXTC



CAVE BIWY COVER

VIRUX CAVE Bivvy cover with a 210D PU nylon finish that is incredibly waterproof (5000mm). Realistic camo pattern to better blend in with the surroundings. Dimensions. 310x350x185 cm

REF. MXWC



TENT STAKES

Length: 20 cm.

REF. BXC20

10



ROOF

Spacious camo brolly. Despite its spacious coverage, the strong ribs and the reinforced finish of its seams give this brolly the structural support required to perfectly withstand adverse weather conditions.

Size: 300 cm

Height: 220 cm

REF. MXPR

SKY

Camo pattern brolly with a solid structure that provides greater coverage than normal, with a height-adjustable top.

Size: 250 cm

Height: 220 cm

REF. MXPS




STRIKE 2

Olive green, solid and lightweight umbrella.

Size: 220 cm

Height: 220 cm

REF. MXPST



UMBRELLA SUPPORT

Metal umbrella support. Robust structure with twin support. Convenient adjustable closure with plastic head.

REF. FXSP






GRAND SUPPORT

Large size reclining chair. The central section of the seat in a nice padded fabric and outer cover in reinforced camo nylon to prevent abrasion and other damage. Adjustable legs with swivel "feet" to prevent sinking on soft or muddy terrain (Mud Feet System). Padded armrest for greater comfort. Perfect stability even in its more horizontal position. Dimensions: 60x55x115/135 cm

REF. MXSGS

STEADY

Bedchair constructed in aluminium. 6 adjustable legs with swivel "feet" to prevent sinking on soft or muddy terrain (Mud Feet System). Its 6-point support instead of 8 makes it more lightweight with no loss of stability. Its folded size is also much less than a bedchair of a similar size. Two fabric types: reinforced camo nylon outer cover to prevent abrasion and other damage, and a nice padding in the centre for maximum comfort. Dimensions: 205x85x32/45 cm



REF. MXHS



CARP KEEPER

Fibre landing net with one-section handle. Camo reinforced to protect those points of the head with the greatest friction. Metal connection between handle and head. Comes with a carry bag.

Handle length: 180 cm.
Total length: 2.85 cm.
Head: 105 x 105 cm.
Depth of net: 105 cm.
Thickness of mesh: 6 mm.

REF. UXCK



3COVER

Camo pattern sleeping bag with removable nylon 190T lining. Attaches perfectly to the bedchair thanks to its hook openings at the top and bottom of the chair. Outer pocket with velcro closure. Cords at the top to adjust and close the sleeping bag once inside. Safety belt. Comes with a carry bag. Dimensions: 230x80 cm

REF. MXS3C



STRIKE

Bag for rod and reel. Size: 210x30 cm.

REF. FXST



SINGLE

Rod bag + reel, adjustable to suit 12' and 13' rods through an adjustable velcro system. Reduced thickness except in the specific area designed for the reel. Pocket with a central zip. Handle with padded reinforcement.

REF. FXSI





BIG LOAD 70L

Sturdy large capacity duffel bag. Featuring a rigid, protective base. Expandable main compartment. Five side pockets of different sizes for storing all your accessories. Convenient zip opening. Two handles and padded strap. Dimensions: 56 x 34 x 32 cm.

REF. MXBL

LOAD 4SL

Sturdy compact duffel bag. Access to the main pocket from the top and from one side for easier plastic box storage and removal. Two upper pockets and two side pockets. Two handles and padded strap. Dimensions: 39 x 26 x 36 cm.

REF. MXL



MXT2



MXT1

TIDY I & II

Extremely versatile semi-rigid PVC boxes. Specially designed for storing liquids or natural materials that could stain, given that these boxes are fully washable.

TIDY I fits inside TIDY II.

TIDY I - Dimensions: 24 x 19 x 12 cm.

TIDY II - Dimensions: 36 x 24 x 12 cm.

REF. MXT1

REF. MXT2



BOX P04

Transparent bag with 4 boilies holders.

REF. MXBP04



JAR HOLDER

Transparent jar holder for rigging bait. Contains 6 jars.

REF. MXPB6



LEVELER

- Case with 3 wireless bite alarms and a receiver.
- Sturdy construction in ABS with waterproof rubber coating.
- **Bite detector:**
 - Adjustable volume, tone, sensitivity and LED color (8 levels). Analogue dial.
 - ON/OFF toggle switch.
 - Signal range: 200-220 m
 - 20 second light after the bite.
 - Memory function for each detector.
 - Anti-theft function.
 - Auto-mute function.
 - 2.5 mm jack port.
 - Low battery indicator.
 - Battery: One 9V battery per detector (supplied)
- **Receiver:**
 - Volume control (8 levels).
 - Analogue dial.
 - Light intensity dial (6 levels).
 - Vibrator mode.
 - Receiver-detector sync button.
 - Battery: 1 9V battery (included).



REF. BXLV



CELESTION

- Case with 3 wireless bite alarms and a receiver.
- Adjustable volume and tone at the receiver and at the buzzer (8 levels).
- Sensitivity control (5 levels).
- Signal range: 220 – 250 m
- 15 second light after the bite.
- 8 magnetic bearings.
- LED dimmer function.
- Low battery indicator.
- Plan with instructions for the receiver and bite detector.
- Battery: Three 1.5V (AAA) batteries for the receiver and two 1.5V (AAA) batteries bite detector (included).

REF. BXCE

DIAMOND

NEW

- Case with 3 wireless bite alarms and a receiver.
- Rubber finish.
- Tone control (8 levels).
- Volume control (8 levels).
- Sensitivity control (5 levels).
- Mounted with 8 magnetic bearings.
- 12 LED colours to choose from.
- Signal range: 200 – 220 m.
- Battery: two 1.5V batteries for the receiver and one 9V battery for each bite detector (included) .
- Memory function for each detector
- ON/OFF toggle switch
- Removable snag-ear bars.
- Low battery indicator.

REF. BXDN



BAFFLE

- Case with 3 wireless bite alarms and a receiver.
- On/Off button.
- Adjustable volume and tone for the receiver and each bite alarm. (6 levels).
- Sensitivity control (6 levels).
- Vibration mode.
- 9V battery for the receiver and bite detector. (included).

REF. BXBL



STRIKE 3 ALARM

- Adjustable volume and tone.
- 20 second bite light.
- 2.5 mm Jack port for swinger connection.
- ON/OFF button.
- 12V battery 23A battery. (Not supplied).

REF. BXAT3



STRIKE 4 ALARM

- Adjustable volume (8 levels), tone (8 levels) and sensitivity.
- ON/OFF button.
- 20 second bite light.
- 2.5 mm Jack port for swinger connection.
- 9V battery. (Not supplied).

REF. BXAT4



SWINGER W1

- Integrated LED light.
- Magnet system in the clamp area.
- Polished plastic material for greater transparency y light visibility.
- Extra cable protection to prevent wear on the connection areas.
- Perfect weight levelling for guaranteed effectiveness.



REF.		€
BXW1*	B, G, R, Y	



ROD POD STATIO

- Classic black anodised aluminium stand for three rods.
- Two additional legs to turn it into a rod pod.
- Swivel supports and telescopic main bar.
- Height adjustable buzzers.
- Comes with a carry bag.

REF. FXSO



ROD POD BALANCE

- Classic black anodised aluminium stand for three rods.
- Swivel central structure with four telescopic legs.
- Height adjustable buzzers.
- Includes carry bag.

REF. FXBA



ROD POD T-LIGHT



- Battery for three rods
- 2 buzzers, 50 cm each.
- Distance between the two buzzers: 65 -120 cm
- Fixed legs, 18 cm high on one side and 25 cm on the other.

REF. FXTL





LIFE CARE CRADLE

Unhooking mat with an aluminium frame and 6 telescopic legs with swivel "feet" (Mud Feet System). Covered in camo pattern 210D PU nylon, removable for ease of cleaning. Comes with a carry bag. Dimensions: 125x65x35/55 cm

REF. MXMC

CRADLE

- Floating weigh sling.
- Spreader rods to prevent the bag from closing during weighing.
- Fitted with a screw with 3 metre attachment cord to connect a spike.
- Measurements: 130x45x40.

REF. MXCD



CRADLE-S



- Floating weigh sling
- Spreader rods to prevent the bag from closing during weighing
- Rope with carabiner clip so there is no need for knots.
- Measurements: 105 x 40 x 35

REF. MXCDS

ADJUSTABLE STAINLESS STEEL ROD PODS

REF.	CM	SEC.	€
1 FXPI2	60 - 90	2	
2 FXPI3	80 - 130	2	
3 FXPI4	110 - 180	2	

INOX



ADJUSTABLE BANK STICKS

REF.	CM	SEC.	€
4 FXPR2	60 - 90	2	
5 FXPR3	80 - 130	2	
6 FXPR4	110 - 180	2	





CM 01



- Plastic box with magnetic closure.
- Contains line winders for nylon leaders.
- Sufficient space for braided leaders and accessories.
- Dimensions: 357x257x56 mm.

REF. MXCM01

CM 02



- Plastic box with magnetic closure.
- Contains small, closed compartments.
- With a foam surface for leaders.
- Dimensions: 256x141x35 mm.

REF. MXCM02



CM 03



- Plastic box with magnetic closure.
- Contains closed compartments for large and small accessories.
- Dimensions: 240x130x38 mm.

REF. MXCM03

CM 04



- Plastic box with magnetic closure.
- Contains closed compartments for accessories.
- Dimensions: 120x97x34 mm.

REF. MXCM04





CR02

Rigid plastic box with changeable compartments (dimensions 270x200x70 mm).
It contains 6 small jars (270 x 200 x 55 mm).

REF. MXCR02

CR03

Rigid plastic box with changeable compartments. Dimensions: 370x300x55 mm.
It contains 6 small boxes (340x85x25 mm) and an elongated terminal tackle holder (110x80x50 mm).

REF. MXCR03



CR01

Terminal tackle box.
Dimensions: 340 x 85 x 25 mm.

REF. MXCR01



CM 05



Double terminal tackle box.
Dimensions: 247x90x43 mm

REF. MXCM05



SMALL PLASTIC BOXES

Measures (105x70x25 mm)

	REF.	COMPARTMENTS	€
1	MXCA1	1	
2	MXCA2	2	
3	MXCA3	3	
4	MXCA4	4	
5	MXCA6	6	
6	MXCA8	8	



STAIN

High quality monofilament, specifically designed for Carp fishing. Thanks to its camouflage colour, developed with the refined technique of the Spot Camo System, the line blends much more effectively with the muddy bottom. This smooth, silicone-coated line glides easily through the rod guides, for perfect casting.

Its elasticity and great power reserve make it the perfect partner for the onslaughts of large carp.

- 1200 m spools.

Price per spool.

REF.	Ø MM.	RESIST/KG	€
LXST120028	0,28	9,50	
LXST120030	0,30	11,40	
LXST120035	0,35	14,02	
LXST120040	0,40	17,35	
LXST120045	0,45	19,15	



BROWNSTONE

This monofilament made from high quality copolymers features the perfect smoothness and elasticity for getting the most out of your castings and for fighting against the biggest carps with absolute assurance, with no risk of tearing their delicate mouths. Excellent knot strength and wear from abrasion.

Its brown colour perfectly blends in with the sandy or muddy beds, remaining invisible to our beloved carp. Presentations:

- 300 m spools. Pack of 6 spools.

- 1000 m spools.

Price per spool.

Ø MM.	RESIST/KG	300M	€	1000M	€
0,24	6,25	LXBS30024		-	
0,26	7,6	LXBS30026		LXBS100026	
0,28	8,75	LXBS30028		-	
0,30	10,14	LXBS30030		-	
0,45	20,47	LXBS30045		LXBS100045	



VIRUX SPECIALIST

High quality monofilament line, perfect for beginners to carp fishing. It offers good knot resistance and is very smooth when casting. Its camouflage green and black colour is unnoticeable in the marshy beds. Presentations:

- 300 m spools. Pack of 6 spools.

- 1200 m spools.

Price per spool.

Ø MM.	RESIST/KG	300M	€	1200M	€
0,25	7,53	LXSP30025		LXSP120025	
0,28	8,61	LXSP30028		-	
0,30	11,23	LXSP30030		-	
0,35	12,56	LXSP30035		LXSP120035	
0,40	16,64	LXSP30040		LXSP120040	
0,45	18,98	LXSP30045		LXSP100045	



* 0.45mm diameter supplied on 1000 m spools.

VIRUX DEEP ROCK PE

8 fibre PE braided line, specifically designed for sinking. Thanks to its high density outer coating, it quickly sinks and its mimetic brown colour is perfect for fishing for carp and catfish in muddy bottoms.

Presentations:

- 300 m spools. Pack of 6 spools.

Price per spool.

REF.	Ø MM.	RESIST./KG	€
LXDR30030	0,30	28,88	
LXDR30035	0,35	34,38	
LXDR30040	0,40	41,25	
LXDR30045	0,45	52,25	
LXDR30050	0,50	71,50	



RIGID LINK

Sinking braid hook link specifically designed for making terminal tackle for carp fishing. This stiff-coated braid allows you to give the hook link just the shape you want, improving the presentation of the lure. If necessary, the coating in the areas close to the hook or swivel can be stripped and removed, while still maintaining exceptional abrasion resistance and tensile strength in the hook link as a whole.

- 10 m spools. Pack of 12 spools.

Price per spool.

REF.	€
LXHS25	
LXHS35	
LXHS45	



SINK LINK

Sinking braid hook link specifically designed for making terminal tackle for carp fishing.

Constructed from soft fibres, this braid allows for easy, long-lasting knots. The colours are long-lasting due to the fact that the fibres are tinted before braiding, allowing the line to blend with the muddy bottom much more effectively.

Exceptional abrasion resistance and tensile strength.

- 10 m spools. Pack of 12 spools.

Price per spool.

REF.	€
LXPH25	
LXPH35	
LXPH45	

PLUMBS

Cart leads with a STAIN MIMETIC finish which go unnoticed in many muddy bottoms where CARP FISHING is practised.

Supplied in bags of 10 units. Price per unit.



FLAT

REF.	€
TXSF42	42
TXSF70	70
TXSF100	100
TXSF120	120



FLAT IN-LINE

REF.	€
TXSFI42	42
TXSFI70	70
TXSFI100	100



GRIP

REF.	€
TXSG42	42
TXSG70	70
TXSG100	100
TXSG120	120



PEAR


REF.	€
TXSP42	42
TXSP56	56
TXSP84	84

HOOKS

CURVED ANGLE

"Curved" long-shank fishing hook giving it great strength and maintaining the ideal opening to make it easier to capture the wariest carps.


REF.	2	4	6	8
AXCA*				



CURVED SHORT

Hook that maintains the traditional curve in the shank yet, as it is shorter than normal, increases its strength.


REF.	4	6	8
AXCO*			



HEAVY CARP

Strong, versatile hook. Its long, sharp barb achieves a smooth, clean hook set, preventing the carp from ejecting the hook.


REF.	4	6	8
AXHC*			



CURVED SHANK

One of the most popular carp fishing hooks. Its micro barb prevents cutting and tearing the carp's mouth. Its shape makes it practically impossible to bend while fishing.

REF.	6	8	10
AXCH*			



TERMINAL TACKLE

REF.			
AXB-1	1	30	
AXB-2	2	30	
AXB-4	4	30	



Prices per blister.

SWIVELS

Prices per bag.



SWIVELS BARREL SWIVELS

REF. OXER8



SWIVELS QUICK SNAP SWIVELS

REF. OXEE8



SWIVELS RING

REF. OXEI8



SWIVELS QUICK LOCKER

REF. OXEQ8



SWIVELS PVA MESH

REF. OXEP8



SPIKE 18.22 mm

REF. OXES

BACKLEAD

REF. OXBS



Prices per bag.




Stopper boards for V-STOP pellets

Size S
REF. BXPSS

2

Size L
REF. BXPST

2




Invisible V-SHAPE stopper board

Size 3 mm
REF. BXIS3

2

Size 7 mm
REF. BXIS7

2



Boilies stopper board.

REF. BXTS

2



D-RING stoppers

REF. BXDR

25



Safety clips.

REF. BXENS

6



Tapered safety clips.

REF. BXECS

6



Pellets connectors

Size 5 mm
REF. BXCBO5

36

Size 7 mm
REF. BXCBO7

18

Size 10 mm
REF. BXCBO10

18



Rubber beads

Ø: 5 mm REF. BXRBS
Ø: 6 mm REF. BXRBS
Ø: 8 mm REF. BXRBS

20



Anti-tangle sleeves

Length: 43 mm REF. BXTA43
Length: 54 mm REF. BXTA54

10



Heat-shrink tubes.
Length: 35 mm
Ø int/ext: 1,5/1,7 mm.
REF. BXTT

15

GROUND BAIT COMPRESSOR



REF. BXGC

HAIR RIGGA

Tool designed to tie carp fishing rigs.

REF. BXHR



PVA BAGS

REF.	mm	€
BXP80	80x150	
BXP100	100x130	

20



H-BLOCK

Marker with a 25 m line and 125 gr lead.

REF.	mm	€
BXHBS	5,5x6x2,5	
BXHBL	11x12x3,5	



IN-LINE FEEDER

Prices per bag.

REF. BXCIG4030
40X20 MM. // 30 G.

REF. BXCIG5045
50X30 MM. // 45 G.

WITH RUBBER

2



BLAZE LAMP

Small aluminium lamp.
Dual function as a torch or lamp, with two lighting options: illumination and flash light.
Weight: 119 gr.
Height: 10.3 cm. Diameter: 4.2 cm.
Includes 3 batteries 1.5V*AAA

REF. BXVL



MODUM

- 50 kg digital scale with ergonomic design and wide support surface.
- Button to toggle between measurement units (kgs / Lbs / Oz).
- Weighing accuracy: 10 g
- Weighing memory function (after 15 seconds) with buzzer.
- Screen with night light.
- Tare system
- Fitted with a thermometer (Celsius and Fahrenheit)
- Low battery indicator.

REF. BXPD





1.5 mm boilie drill

REF. BXTB



9 cm boilie needle

REF. BXAB



Lead core needle

REF. BXAL



Pellets needle

REF. BXAP

Open soft plastic support.

REF. BXSAP



Carbon antenna.

REF. BXAC



Magnetic connector

REF. BXCNM



Quick connector.

REF. BXCNR



2

Rod Strap.
Measurements: 50x250 mm.

REF. BXAC250

Rod Protector.

REF. BXPB



